

Model			Çap (m)	Ring Sayısı	Alt Konik Açısı	Saçak Yüksekliği (m)	Tepe Yükseklik (m)	Kapasite (m³)	Buğday (0,800m3/t)	Mısır (0,721 m3/t)	Çeltik (0,640m3/t)
KONİK TABAN - 5 MODEL SİLO - (BST 05) -(15 FT)	ALT KONİK 45	BST45-0506	4,58	6	45	8,27	9,42	99,28	84	76	67
		BST45-0507	4,58	7	45	9,15	10,30	112,74	96	86	76
		BST45-0508	4,58	8	45	10,04	11,19	126,21	107	96	86
		BST45-0509	4,58	9	45	10,92	12,07	139,68	118	107	95
		BST45-0510	4,58	10	45	11,81	12,96	153,14	130	117	104
		BST45-0511	4,58	11	45	12,69	13,84	166,61	141	127	113
		BST45-0512	4,58	12	45	13,57	14,72	180,07	153	138	122
		BST45-0513	4,58	13	45	14,46	15,61	193,54	164	148	131
		BST45-0514	4,58	14	45	15,34	16,49	207,00	176	158	140
		BST45-0515	4,58	15	45	16,23	17,38	220,47	187	168	150
		BST45-0516	4,58	16	45	17,11	18,26	233,93	198	179	159
		BST45-0517	4,58	17	45	17,99	19,14	247,40	210	189	168
		BST45-0518	4,58	18	45	18,88	20,03	260,86	221	199	177
		BST45-0519	4,58	19	45	19,76	20,91	274,33	233	210	186
	ALT KONİK 60	BST60-0506	4,58	6	60	9,82	10,97	107,85	91	82	73
		BST60-0507	4,58	7	60	10,70	11,85	121,32	103	93	82
		BST60-0508	4,58	8	60	11,59	12,74	134,78	114	103	91
		BST60-0509	4,58	9	60	12,47	13,62	148,25	126	113	101
		BST60-0510	4,58	10	60	13,36	14,51	161,71	137	124	110
		BST60-0511	4,58	11	60	14,24	15,39	175,18	149	134	119
		BST60-0512	4,58	12	60	15,12	16,27	188,64	160	144	128
		BST60-0513	4,58	13	60	16,01	17,16	202,11	171	154	137
		BST60-0514	4,58	14	60	16,89	18,04	215,58	183	165	146
		BST60-0515	4,58	15	60	17,78	18,93	229,04	194	175	155
		BST60-0516	4,58	16	60	18,66	19,81	242,51	206	185	165
		BST60-0517	4,58	17	60	19,54	20,69	255,97	217	196	174

Model			Çap (m)	Ring Sayısı	Alt Konik Açısı	Saçak Yüksekliği (m)	Tepe Yükseklik (m)	Kapasite (m³)	Buğday (0,800m3/t)	Mısır (0,721 m3/t)	Çeltik (0,640m3/t)
KONİK TABAN - 6 MODEL SİLO (BST 06)-(18 FT)	ALT KONİK 45	BST45-0606	5,50	6	45	8,73	10,14	148,56	126	114	101
		BST45-0607	5,50	7	45	9,61	11,03	167,95	142	128	114
		BST45-0608	5,50	8	45	10,50	11,91	187,34	159	143	127
		BST45-0609	5,50	9	45	11,38	12,80	206,73	175	158	140
		BST45-0610	5,50	10	45	12,27	13,68	226,12	192	173	153
		BST45-0611	5,50	11	45	13,15	14,56	245,51	208	188	167
		BST45-0612	5,50	12	45	14,03	15,45	264,90	225	202	180
		BST45-0613	5,50	13	45	14,92	16,33	284,29	241	217	193
		BST45-0614	5,50	14	45	15,80	17,22	303,68	258	232	206
		BST45-0615	5,50	15	45	16,69	18,10	323,07	274	247	219
		BST45-0616	5,50	16	45	17,57	18,98	342,46	290	262	232
		BST45-0617	5,50	17	45	18,45	19,87	361,85	307	277	245
		BST45-0618	5,50	18	45	19,34	20,75	381,24	323	291	259
		BST45-0619	5,50	19	45	20,22	21,64	400,63	340	306	272
		BST45-0620	5,50	20	45	21,11	22,52	420,02	356	321	285
		BST45-0621	5,50	21	45	21,99	23,40	439,41	373	336	298
		BST45-0622	5,50	22	45	22,87	24,29	458,80	389	351	311
	ALT KONİK 60	BST60-0606	5,50	6	60	10,61	12,03	163,55	139	125	111
		BST60-0607	5,50	7	60	11,50	12,91	182,94	155	140	124
		BST60-0608	5,50	8	60	12,38	13,80	202,33	172	155	137
		BST60-0609	5,50	9	60	13,27	14,68	221,72	188	169	150
		BST60-0610	5,50	10	60	14,15	15,57	241,11	204	184	164
		BST60-0611	5,50	11	60	15,03	16,45	260,50	221	199	177
		BST60-0612	5,50	12	60	15,92	17,33	279,89	237	214	190
		BST60-0613	5,50	13	60	16,80	18,22	299,28	254	229	203
		BST60-0614	5,50	14	60	17,69	19,10	318,67	270	244	216
		BST60-0615	5,50	15	60	18,57	19,99	338,06	287	258	229
		BST60-0616	5,50	16	60	19,45	20,87	357,45	303	273	242
		BST60-0617	5,50	17	60	20,34	21,75	376,84	320	288	256
		BST60-0618	5,50	18	60	21,22	22,64	396,23	336	303	269
		BST60-0619	5,50	19	60	22,11	23,52	415,62	352	318	282
		BST60-0620	5,50	20	60	22,99	24,41	435,01	369	332	295
		BST60-0621	5,50	21	60	23,87	25,29	454,40	385	347	308

Model			Çap (m)	Ring Sayısı	Alt Konik Açısı	Saçak Yüksekliği (m)	Tepe Yükseklik (m)	Kapasite (m³)	Buğday (0,800m3/ t)	Mısır (0,721 m3/t)	Çeltik (0,640m3/ t)
KONİK TABAN - 7 MODEL SİLO (BST 07)-(21 FT)	ALT KONİK 45	BST45-0706	6,42	6	45	9,19	10,87	209,87	178	160	142
		BST45-0707	6,42	7	45	10,07	11,75	236,26	200	181	160
		BST45-0708	6,42	8	45	10,96	12,64	262,65	223	201	178
		BST45-0709	6,42	9	45	11,84	13,52	289,04	245	221	196
		BST45-0710	6,42	10	45	12,72	14,40	315,44	267	241	214
		BST45-0711	6,42	11	45	13,61	15,29	341,83	290	261	232
		BST45-0712	6,42	12	45	14,49	16,17	368,22	312	281	250
		BST45-0713	6,42	13	45	15,38	17,06	394,61	335	302	268
		BST45-0714	6,42	14	45	16,26	17,94	421,00	357	322	286
		BST45-0715	6,42	15	45	17,14	18,82	447,40	379	342	304
		BST45-0716	6,42	16	45	18,03	19,71	473,79	402	362	321
		BST45-0717	6,42	17	45	18,91	20,59	500,18	424	382	339
		BST45-0718	6,42	18	45	19,80	21,48	526,57	447	402	357
		BST45-0719	6,42	19	45	20,68	22,36	552,97	469	423	375
		BST45-0720	6,42	20	45	21,56	23,24	579,36	491	443	393
		BST45-0721	6,42	21	45	22,45	24,13	605,75	514	463	411
		BST45-0722	6,42	22	45	23,33	25,01	632,14	536	483	429
	ALT KONİK 60	BST60-0706	6,42	6	60	11,41	13,09	233,88	198	179	159
		BST60-0707	6,42	7	60	12,29	13,97	260,27	221	199	177
		BST60-0708	6,42	8	60	13,18	14,86	286,66	243	219	194
		BST60-0709	6,42	9	60	14,06	15,74	313,06	265	239	212
		BST60-0710	6,42	10	60	14,94	16,62	339,45	288	259	230
		BST60-0711	6,42	11	60	15,83	17,51	365,84	310	280	248
		BST60-0712	6,42	12	60	16,71	18,39	392,23	333	300	266
		BST60-0713	6,42	13	60	17,60	19,28	418,62	355	320	284
		BST60-0714	6,42	14	60	18,48	20,16	445,02	377	340	302
		BST60-0715	6,42	15	60	19,36	21,04	471,41	400	360	320
		BST60-0716	6,42	16	60	20,25	21,93	497,80	422	380	338
		BST60-0717	6,42	17	60	21,13	22,81	524,19	445	401	356
		BST60-0718	6,42	18	60	22,02	23,70	550,58	467	421	374
		BST60-0719	6,42	19	60	22,90	24,58	576,98	489	441	391
		BST60-0720	6,42	20	60	23,78	25,46	603,37	512	461	409
		BST60-0721	6,42	21	60	24,67	26,35	629,76	534	481	427
		BST60-0722	6,42	22	60	25,55	27,23	656,15	556	501	445
KONİK TABAN - 8 MODEL SİLO - (BST - 08)-(24 FT)	ALT KONİK 45	BST45-0806	7,33	6	45	9,65	11,59	284,17	241	217	193
		BST45-0807	7,33	7	45	10,53	12,47	318,64	270	244	216
		BST45-0808	7,33	8	45	11,41	13,36	353,11	299	270	240
		BST45-0809	7,33	9	45	12,30	14,24	387,59	329	296	263
		BST45-0810	7,33	10	45	13,18	15,13	422,06	358	323	286
		BST45-0811	7,33	11	45	14,07	16,01	456,53	387	349	310
		BST45-0812	7,33	12	45	14,95	16,89	491,00	416	375	333
		BST45-0813	7,33	13	45	15,83	17,78	525,47	446	402	356
		BST45-0814	7,33	14	45	16,72	18,66	559,94	475	428	380
		BST45-0815	7,33	15	45	17,60	19,55	594,41	504	454	403
		BST45-0816	7,33	16	45	18,49	20,43	628,88	533	481	427
		BST45-0817	7,33	17	45	19,37	21,31	663,36	563	507	450
		BST45-0818	7,33	18	45	20,25	22,20	697,83	592	533	473
		BST45-0819	7,33	19	45	21,14	23,08	732,30	621	560	497
		BST45-0820	7,33	20	45	22,02	23,97	766,77	650	586	520
		BST45-0821	7,33	21	45	22,91	24,85	801,24	679	612	544
		BST45-0822	7,33	22	45	23,79	25,73	835,71	709	639	567

Model			Çap (m)	Ring Sayısı	Alt Konik Açısı	Saçak Yüksekliği (m)	Tepe Yükseklik (m)	Kapasite (m³)	Buğday (0,800m3/t)	Mısır (0,721 m3/t)	Çeltik (0,640m3/t)
KONİK TABAN - 9 MODEL SİLO - (BST - 09)-(27 FT)	ALT KONİK 40	BST40-0906	8,25	6	40	9,47	11,56	359,02	304	274	244
		BST40-0907	8,25	7	40	10,35	12,45	402,64	341	308	273
		BST40-0908	8,25	8	40	11,24	13,33	446,27	378	341	303
		BST40-0909	8,25	9	40	12,12	14,21	489,90	415	374	332
		BST40-0910	8,25	10	40	13,00	15,10	533,53	452	408	362
		BST40-0911	8,25	11	40	13,89	15,98	577,15	489	441	392
		BST40-0912	8,25	12	40	14,77	16,87	620,78	526	474	421
		BST40-0913	8,25	13	40	15,66	17,75	664,41	563	508	451
		BST40-0914	8,25	14	40	16,54	18,63	708,04	600	541	480
		BST40-0915	8,25	15	40	17,42	19,52	751,67	637	574	510
		BST40-0916	8,25	16	40	18,31	20,40	795,29	674	608	540
		BST40-0917	8,25	17	40	19,19	21,29	838,92	711	641	569
		BST40-0918	8,25	18	40	20,08	22,17	882,55	748	674	599
		BST40-0919	8,25	19	40	20,96	23,05	926,18	785	708	628
		BST40-0920	8,25	20	40	21,84	23,94	969,80	822	741	658
		BST40-0921	8,25	21	40	22,73	24,82	1013,43	859	775	688
		BST40-0922	8,25	22	40	23,61	25,71	1057,06	896	808	717
KONİK TABAN - 10 MODEL SİLO - (BST - 10)-(30 FT)	ALT KONİK 40	BST40-1006	9,17	6	40	9,85	12,21	457,40	388	350	310
		BST40-1007	9,17	7	40	10,74	13,10	511,26	434	391	347
		BST40-1008	9,17	8	40	11,62	13,98	565,12	479	432	383
		BST40-1009	9,17	9	40	12,51	14,86	618,98	525	473	420
		BST40-1010	9,17	10	40	13,39	15,75	672,85	571	514	456
		BST40-1011	9,17	11	40	14,27	16,63	726,71	616	555	493
		BST40-1012	9,17	12	40	15,16	17,52	780,57	662	597	530
		BST40-1013	9,17	13	40	16,04	18,40	834,43	708	638	566
		BST40-1014	9,17	14	40	16,93	19,28	888,29	753	679	603
		BST40-1015	9,17	15	40	17,81	20,17	942,15	799	720	639
		BST40-1016	9,17	16	40	18,69	21,05	996,01	845	761	676
		BST40-1017	9,17	17	40	19,58	21,94	1049,88	890	802	712
		BST40-1018	9,17	18	40	20,46	22,82	1103,74	936	844	749
		BST40-1019	9,17	19	40	21,35	23,70	1157,60	982	885	785
		BST40-1020	9,17	20	40	22,23	24,59	1211,46	1027	926	822
		BST40-1021	9,17	21	40	23,11	25,47	1265,32	1073	967	858
		BST40-1022	9,17	22	40	24,00	26,36	1319,18	1119	1008	895
KONİK TABAN - 11 MODEL SİLO - (BST - 11)-(33 FT)	ALT KONİK 40	BST40-1106	10,08	6	40	10,24	12,86	570,63	484	436	387
		BST40-1107	10,08	7	40	11,12	13,74	635,80	539	486	431
		BST40-1108	10,08	8	40	12,01	14,63	700,97	594	536	476
		BST40-1109	10,08	9	40	12,89	15,51	766,14	650	586	520
		BST40-1110	10,08	10	40	13,77	16,40	831,32	705	635	564
		BST40-1111	10,08	11	40	14,66	17,28	896,49	760	685	608
		BST40-1112	10,08	12	40	15,54	18,16	961,66	815	735	652
		BST40-1113	10,08	13	40	16,43	19,05	1026,83	871	785	697
		BST40-1114	10,08	14	40	17,31	19,93	1092,00	926	835	741
		BST40-1115	10,08	15	40	18,19	20,82	1157,18	981	884	785
		BST40-1116	10,08	16	40	19,08	21,70	1222,35	1037	934	829
		BST40-1117	10,08	17	40	19,96	22,58	1287,52	1092	984	873
		BST40-1118	10,08	18	40	20,85	23,47	1352,69	1147	1034	918
		BST40-1119	10,08	19	40	21,73	24,35	1417,87	1202	1084	962
		BST40-1120	10,08	20	40	22,61	25,24	1483,04	1258	1133	1006
		BST40-1121	10,08	21	40	23,50	26,12	1548,21	1313	1183	1050
		BST40-1122	10,08	22	40	24,38	27,00	1613,38	1368	1233	1095

Model			Çap (m)	Ring Sayısı	Alt Konik Açısı	Saçak Yüksekliği (m)	Tepe Yükseklik (m)	Kapasite (m³)	Buğday (0,800m³/t)	Mısır (0,721 m³/t)	Çeltik (0,640m³/t)
KONİK TABAN - 12 MODEL SİLO - (BST - 12)-(36 FT)	ALT KONİK 40	BST40-1206	11,00	6	40	10,62	13,51	699,55	593	535	475
		BST40-1207	11,00	7	40	11,51	14,39	777,11	659	594	527
		BST40-1208	11,00	8	40	12,39	15,28	854,67	725	653	580
		BST40-1209	11,00	9	40	13,27	16,16	932,23	791	712	632
		BST40-1210	11,00	10	40	14,16	17,05	1009,79	856	772	685
		BST40-1211	11,00	11	40	15,04	17,93	1087,35	922	831	738
		BST40-1212	11,00	12	40	15,93	18,81	1164,91	988	890	790
		BST40-1213	11,00	13	40	16,81	19,70	1242,48	1054	950	843
		BST40-1214	11,00	14	40	17,69	20,58	1320,04	1119	1009	896
		BST40-1215	11,00	15	40	18,58	21,47	1397,60	1185	1068	948
		BST40-1216	11,00	16	40	19,46	22,35	1475,16	1251	1127	1001
		BST40-1217	11,00	17	40	20,35	23,23	1552,72	1317	1187	1053
		BST40-1218	11,00	18	40	21,23	24,12	1630,28	1382	1246	1106
		BST40-1219	11,00	19	40	22,11	25,00	1707,84	1448	1305	1159
		BST40-1220	11,00	20	40	23,00	25,89	1785,40	1514	1365	1211
		BST40-1221	11,00	21	40	23,88	26,77	1862,96	1580	1424	1264
		BST40-1222	11,00	22	40	24,77	27,65	1940,52	1646	1483	1316